

**TABLE DOSES SELECTION
KIKKO**

Written <i>Belleneroli</i>	Approved <i>B</i>		
Date eprom 09/12/2003	Code eprom	Rev. 2.6 UL	Country USA
Code D.A. F960024	Model	ES6E-R/UI.Q	

TABLE DOSES VERSION ES 01 USA

Sugar Regulation	⊙	+	⊙
Café Americano	⊙	Café Americano Decaf	⊙
Coffee with Milk (no whipped)	⊙	Coffee with Milk Decaf (no whipped)	⊙
Coffee with milk (whipped)	⊙	Coffee with milk Decaf (whipped)	⊙
Cappuccino	⊙	Cappuccino Decaf	⊙
Cafe Mocha	⊙	Cafe Mocha Decaf	⊙
Chocolate	⊙	French Vanilla	⊙
Chocolate Strong	⊙		⊙
Chocolate with Milk	⊙	Hot Water	⊙

PRESELECTION

PRESELECTION	VAR. DOSES	DESCRIPTION
Sugar -	-33 %	Reduce the dose of sugar (6 step).
Sugar +	+33 %	Increase the dose of sugar (6 step).

SELECTION	WATER DOSES	POWDER DOSES			
Café Americano	Coffee 90 cdv 45 cc				
	Sugar 180 cdv 135 cc	Sugar 5 gr			
Coffee with Milk (not whipped)	Coffee 120 cdv 70 cc				
	Milk 160 cdv 120 cc	Milk 3 gr	Sugar 5 gr		

**TABLE DOSES SELECTION
KIKKO**

Written	Approved		
Date eprom 09/12/2003	Code eprom	Rev. 2.6 UL	Country USA
Code D.A. F960024	Model	ES6E-R/ULQ	

SELECTION	WATER DOSES	POWDER DOSES		
Coffee with Milk (whipped)	Coffee 105 cdv 60 cc			
	Milk 140 cdv 100 cc	Milk 12 gr	Sugar 5 gr	
Cappuccino	Milk 135 cdv 95 cc	Milk 11 gr	Sugar 5 gr	
	Coffee 100 cdv 55 cc			
Caffe' Mocha	Milk 85 cdv 65 cc	Milk 7 gr	Sugar 5 gr	
	Coffee 75 cdv 35 cc			
	Cacao 85 cdv 65 cc	Cacao 13 gr		
Chocolate	Cacao 210 cdv 150 cc	Cacao 22 gr		
Chocolate Strong	Cacao 210 cdv 150 cc	Cacao 25 gr		
Chocomilk	Cacao 105 cdv 75 cc	Cacao 20 gr		
	Milk 100 cdv 75 cc	Milk 6 gr	Sugar 5 gr	
Café Americano Decaf	Coffee 90 cdv 45 cc	Decaff. 8 gr		
	Sugar 180 cdv 135 cc	Sugar 5 gr		
Coffee with Milk Decaf (not whipped)	Coffee 120 cdv 70 cc	Decaff. 8 gr		
	Milk 160 cdv 120 cc	Milk 3 gr	Sugar 5 gr	
Coffee with Milk Decaf (whipped)	Coffee 105 cdv 60 cc	Decaff. 8 gr		
	Milk 140 cdv 100 cc	Milk 12 gr	Sugar 5 gr	

**TABLE DOSES SELECTION
KIKKO**

Written	Approved		
Date eprom 09/12/2003	Code eprom Rev. 2.6 UL	Country	USA
Code D.A. F960024	Model ES6E-R/ULQ		

SELECTION	WATER DOSES	POWDER DOSES			
CappuccinoDecaf	Milk 135 cdv 95 cc	Milk 11 gr	Sugar 5 gr		
	Coffee 100 cdv 55 cc	Decaff. 8 gr			
Caffe' Mocha Decaf	Milk 85 cdv 65 cc	Milk 7 gr	Sugar 5 gr		
	Coffee 75 cdv 35 cc	Decaff. 8 gr			
	Cacao 85 cdv 65 cc	Cacao 13 gr			
French Vanilla	French Vanilla 210 cdv 150 cc	FrenchVanilla 22 gr	Sugar 5 gr		
Hot Water	Hot Water 210 cdv 150 cc				

* Café americano and Café americano Decaf Selections have the possibility when the selection is without sugar to dispensing the added water for EV Hot water else the added water is sugar water

**TABLE DOSES SELECTION
KIKKO**

Written	Approved		
Date eprom 09/12/2003	Code eprom	Rev. 2.6 UL	Country USA
Code D.A. F960024	Model	ES6E-R/ULQ	

SELECTION WATER DOSES	
SEL.	H2O
Café americano	180 cc
Coffee with Milk (not whipped)	190 cc
Coffee with Milk (whipped)	160 cc
Cappuccino	150 cc
Caffè Mocha	165 cc
Chocolate	150 cc
Strong Chocolate	150 cc
Chocolate with Milk	150 cc
Decaf. Black Coffee	180 cc
Coffee with milk decaf. (not whipped)	190 cc
Coffee with milk decaf. (whipped)	160 cc
Cappuccino decaf.	150 cc
Caffè mocha decaf.	165 cc
French vanilla	150 cc
Hot water	150 cc

PAYMENT SYSTEMS DETAILS

Coin table for validator lines :

Line	A	B	C	D	E	F
Weight	5	10	20	50	100	200

Decimal point position : 2

TABLE DOSES SELECTION KIKKO

Written		Approved			
Date eprom	09/12/2003	Code eprom	Rev. 2.6 UL	Country	USA
Code D.A.	F960024	Model	ES6E-R/ULQ		

SET PRICES

PRICE	1	0.50 \$
	2	0.50 \$
	3	0.50 \$
	4	0.50 \$
	5	0.50 \$
	6	0.50 \$
	7	0.50 \$
	8	0.50 \$
	9	0.50 \$
	10	0.50 \$
	11	0.50 \$
	12	0.50 \$
	13	0.50 \$
	14	0.50 \$
	15	0.50 \$
	16	0.50 \$

All selections are set to price line 1.

WATER/POWDER DELAYS

Standard	0.6	Sec
----------	-----	-----

TEMPERATURE CALDAIE

Espresso	95 °C
----------	-------

TABLE DOSES SELECTION KIKKO

Written	Approved		
Date eprom 09/12/2003	Code eprom	Rev. 2.6 UL	Country USA
Code D.A. F960024	Model	ES6E-R/ULQ	

OTHER INFORMATIONS

- * The software release Kikko Rev. 2.6 UL is compatible only with the version SchedaRelè Rev. 2.6 UL.
- * Language of ENGLISH default, other available languages: Italiano, Francaise, Espanola, Deutsch, Portugues, Polsky, Czech, Slovak, РУССКИЙ, Croate, Finnish, Danish, Ungaria, Svenska, Srpski.
- * La versione Kikko Rev. 2.6 UL è compatibile solo con la versione SchedaRelè Rev. 2.6 UL
- * Lingua di default ENGLISH, altre lingue disponibili: Italiano, Francaise, Espanola, Deutsch, Portugues, Polsky, Czech, Slovak, РУССКИЙ, Croate, Finnish, Danish, Finnish, Ungaria, Svenska, Srpski.

CHANGES

SW CPU / SCHEDA ATTUAZIONI REV. 2.5UL:

- * Gestione UpKey.

SW CPU - I/O BOARD REV. 2.5UL:

- * UpKey management.

SW CPU / SCHEDA ATTUAZIONI REV. 2.6UL:

- * Nuova gestione luce vano crogazione.

SW CPU - I/O BOARD REV. 2.6:

- * New distribution vain light management.

TABLE DOSES SELECTION KIKKO

Written	Approved		
Date eprom 09/12/2003	Code eprom	Rev. 2.6 UI.	Country USA
Code D.A. F960024	Model	ES6E-R/ULQ	

LEGEND:

Position 1-2	Coffee group
Position 3	Sugar
Position 4	Milk
Position 5	French Vanilla
Position 6	Chocolate
Position 7	Decaffeinated

DOSEUR SETTING:

Doseur 1-2	
Doseur 3	2,3 gr/s
Doseur 4	1,5 gr/s
Doseur 5	2,0 gr/s
Doseur 6	2,5 gr/s
Doseur 7	1,1 gr/s

LAYOUT ESPRESSO VERSION

